



18

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
(Attorney Docket No. BP3038)

In the Application of:
Henrik T. Jensen

Serial No.: 10/676,320

Filed: 09/30/2003

For: Continuous Time Delta Sigma
ADC with Dithering

§ Group Art Unit: 2819

§ Examiner: Nguyen, John B.

CERTIFICATE OF MAILING UNDER RULE 8

I hereby certify that this correspondence is being deposited in the United States Mail under 37 C.F.R. §1.8 with sufficient First Class Postage and is addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on October 12, 2004.

By: 
Sherry L. Wolf McWhinnie

TRANSMITTAL LETTER

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Dear Sir:

Responsive to the Official Action mailed on July 12, 2004, the period for response thereto set to expire on October 12, 2004, enclosed please find the following:

1. Response to Official Action
2. Return Postcard

If you have any questions, please feel free to call the undersigned attorney.

Date: October 12, 2004

By: 

James A. Harrison, Reg. 40,401
Garlick Harrison & Markison, LLP
P.O. Box 670007
Dallas, Texas 75367
(214) 902-8100 (Office)
(214) 902-8101 (Fax)



Appl. No. : 10/676,320
Applicant(s) : Henrik T. Jensen
Filed : 09/30/2003
Title: : Continuous Time Delta Sigma
ADC with Dithering
TC/A.U. : 2819
Examiner : Nguyen, John B.
Docket No. : BP3038
Conf. No. : 6526

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

CERTIFICATE OF MAILING UNDER RULE

I hereby certify that this correspondence is being deposited in the United States Mail under 37 C.F.R. §1.8 with sufficient First Class Postage and is addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on October 12, 2004.

By:


Sherry L. Wolf McWhinnie

Responsive to the Official Action mailed on July 12, 2004, the period for response thereto set to expire on October 12, 2004, the Applicant hereby makes the following arguments and remarks. Specifically, claims 9-12 are canceled. As such, reconsideration of the action and allowance of the present application are respectfully requested and are believed to be appropriate in view of the following:

Amendments to the Specification – N/A

Amendments to the Claims – begin on page 2

Amendments to the Drawings – N/A

Remarks/Arguments begin on page 9 of this paper.